PET PARTNERS - CANINE

	Cage #
Please fill out grey shaded areas only	
	Date
Address	
City, State, Zip	
Home #Work #	Cell/Pager#
Pet D.O.B	Breed/Color Sex M / F
Housing : Inside only Goes Outside : Backy IF STRAY? Yes/No How long have you had dog	rard only Park / Beach / Woods ? last heat cycle? had puppies?
DATE OF LAST VACCINATIONS? Please	circle- Never vaccinated/ Vaccination history unknown
	ccine will be given today. A \$10 fee will be charged.
	d-1 st distemper 2 nd 3 rd el cough) Lepto (Kidney disease)
Date of last heartworm test?	Last heartworm pill given?
Ever received intestinal worming meds? Y/N Nan FLEAS- If any evidence of fleas is found on your	ne/ date of med Seeing worms? Y/N pet, a flea medication will be applied at your expense.
Allergies? to vaccines: Yes/ No	medications: Yes/No
Current health problems:Past health problems:	
Has pet eaten in last 12 hours or drank water in	a last 8 hours? Yes/ No
animal and to use the appropriate anesthetics and r	rinarian to perform the following procedures on the above named medications (please initial choices): Oral Assessment, Radiographs and Treatment
give any appropriate medications in the event of u I also authorize the tests, vaccinations, medication I understand that there is inherent risk involved wi vaccination or medication. I realize that the results I hereby, for myself, my heirs, executors and admi of Directors, volunteers, and all persons associated	arian to perform extensions of the above surgery or procedures or inforeseen conditions that may be revealed or occur. In any anesthetic or surgical procedure or the administration of a cannot be guaranteed. In any anistrators, release and discharge Pet Partners, its employees, Board I herewith for all claims, damages, rights of action, present or future, sipated, resulting from or arising out of, or incident to the above
SIGNATURE OF OWNER/ AGENT	DATE
Interview: phone in person Name if other	her than owner Witness

Breed				Cage #
				Stray ?
Comments:				
Services Requested				Date
Spay/ Neuter	COHAT	Estin	nate Age	With Biopsy ? Yes/ No
Other surgery				With Biopsy? Yes/ No
Pre-anesthetic blood wor	k: PCV/TS	Mini	Partial	Full Waived
Pregnancy termination: Y/		M	icrochip	
HW test 4DX				
Rabies DHP-P: 1				
Flea/ worm control: Adv	antage	Advantix	Droncit	Strongid
E-collar Skin stap	olesPa	in Meds	Sedative	Coupon
Voucher				
Services Rendered:				Wt:
<u> </u>				
Blood test:PCV/TS/ mini/				Spoyy In hoot Description
ACSUIISInfacts 1	Contration	n: C	munt T	Spay: In heat Pregnant Dental: Radiographs Hand
				Dentar: Kadiographs Hand
Scale Ultrasonic scale				Dianay
Vacc: Pabies DUD D	1 lyr 3yr/I opto	Luma	Rord	Biopsy HW test HW/tick .test
v acc. Naules DNP-P Skin: Fless ^	dvantage / Adve	Lyllle_ antiv_applied	DUIU Dropoit ini	Nail trim
Fore: Classed ways	uvamage / Auva	Iverme	Diolicit iiij ectin ini	Other Microchip
				Fecal U/A
Physical examinations-re If today was your puppy's Vaccination Recommend	only veterinary ations-	visit, please re	turn in 1 month	
If today was your puppy's Vaccination Recommend	only veterinary ations-	visit, please re	turn in 1 month	
Physical examinations-re If today was your puppy's Vaccination Recommend	only veterinary ations-	visit, please re	turn in 1 monthyear booster	required by state law).
Physical examinations- re If today was your puppy's Vaccination Recommend Rabies- Return by DHP-P(Distemper/	only veterinary ations- Parvo)- Recomm	visit, please re for a mended for pro	turn in 1 month year booster of tection from interest.	(required by state law).
Physical examinations- re If today was your puppy's Vaccination Recommend Rabies- Return by DHP-P(Distemper/	only veterinary ations-	visit, please re for a mended for pro g has never re	year booster of tection from into ceived a distempt	required by state law). estinal viruses. per vaccination.
Physical examinations- real following the Internation Recommend Rabies- Return by DHP-P(Distemper/Page 12 Return Page 2 Puppies Puppi	ations- Parvo)- RecommasASAP if your do	visit, please re for a mended for pro og has never re shots 1 month	year booster of tection from into ceived a disternal apart is recommended.	required by state law). restinal viruses. retrivation. rended.
Physical examinations- related today was your puppy's Vaccination Recommend Rabies- Return by DHP-P(Distemper/Pappies Return Lyme (Tick disease Bordatella (kennel Heartworm protect	Parvo)- Recommas ASAP if your do a series of 2-3 e)- Return cough)- Return tion- STRONGI	for a for a for a property for a mended for property for a mended for property for a booster for a boos	year booster of tection from into ceived a distemple apart is recommended to complete poster. Lepto (I for a booster. Lepto year recommended to the complete poster.	(required by state law). sestinal viruses. ser vaccination. nended. souppy series. Kidney Disease) -Return
Physical examinations- related today was your puppy's Vaccination Recommend Rabies- Return by DHP-P(Distemper/Pappies Return Lyme (Tick disease Bordatella (kennel Heartworm protec Return for the protect of the protec	Parvo)- Recommas ASAP if your do a series of 2-3 e)- Return cough)- Return tion- STRONGI or a yearly Heart	for a for a for a booster for a b	year booster of tection from into ceived a distemple apart is recommended to complete poster. Lepto (I for a booker. Lepto year rockepeat test in 6 recommended.	(required by state law). restinal viruses. per vaccination. nended. puppy series. Kidney Disease) -Return oster. pund. Start tomorrow Contingent on previously not on previously not on previously.
Physical examinations- related today was your puppy's Vaccination Recommend Rabies- Return by DHP-P(Distemper/Pappies Return Lyme (Tick disease Bordatella (kennel Heartworm protect Return for Surgery incision- Signal Surg	Parvo)- Recommas ASAP if your do-a series of 2-3 e)- Returncough)- Return tion- STRONGI or a yearly Heart kin layer glued.	for a for a for a booster for a b	year booster of tection from into ceived a distemple apart is recommended for to complete poster. Lepto (I for a booster. Lepto (Repeat test in 6 run and dry for 14	(required by state law). lestinal viruses. per vaccination. nended. puppy series. Kidney Disease) -Return oster. pund. Start tomorrow Continuonths if previously not on previously, no need to return.
Physical examinations- related today was your puppy's Vaccination Recommend Rabies- Return by	Parvo)- Recommas ASAP if your do a series of 2-3 e)- Return cough)- Return tion- STRONGI or a yearly Heart kin layer glued. Skin sutures/ sta	for a for a mended for property for a mended for property for a booster for	year booster of tection from into ceived a distemple apart is recommended or to complete proster. Lepto (I for a booker. Lepto (I for a booker) year rockepeat test in 6 run and dry for 14 Keep clean and of	(required by state law). restinal viruses. per vaccination. nended. puppy series. Kidney Disease) -Return oster. pund. Start tomorrow Continuonths if previously not on previous, no need to return. dry. Return days for remova
Physical examinations- related today was your puppy's Vaccination Recommend Rabies- Return by DHP-P(Distemper/	Parvo)- Recommand ASAP if your dogram a series of 2-3 e)- Return cough)- Return tion- STRONGI or a yearly Heart kin layer glued. Skin sutures/ staggingival sutures-	for a for a mended for programment for a month for a booster	year booster of tection from into ceived a distemple apart is recommended to complete poster. Lepto (I for a booker) for a booker test in 6 recommended to and dry for 14 Keep clean and of Rinse mouth with	(required by state law). restinal viruses. per vaccination. nended. puppy series. Kidney Disease) -Return oster. pund. Start tomorrow Contingual. nonths if previously not on previously, no need to return. dry. Return days for removal. In lukewarm water after meals for 1
Physical examinations- related today was your puppy's Vaccination Recommend Rabies- Return by DHP-P(Distemper/	Parvo)- Recommand ASAP if your dogram a series of 2-3 e)- Return cough)- Return tion- STRONGI or a yearly Heart kin layer glued. Skin sutures/ staggingival sutures-	for a for a mended for programment for a month for a booster	year booster of tection from into ceived a distemple apart is recommended to complete poster. Lepto (I for a booker) for a booker test in 6 recommended to and dry for 14 Keep clean and of Rinse mouth with	(required by state law). restinal viruses. per vaccination. nended. puppy series. Kidney Disease) -Return oster. pund. Start tomorrow Continuonths if previously not on previous, no need to return. dry. Return days for remova
Physical examinations- related today was your puppy's Vaccination Recommend Rabies- Return by DHP-P(Distemper/Distempe	ations- Parvo)- Recommas ASAP if your dotation as series of 2-3 e)- Return cough)- Return tion- STRONGI or a yearly Heart kin layer glued. Skin sutures/ sta Gingival sutures llowing as direct days when	for a for a for a for a booster for a boos	year booster of tection from into ceived a distemple apart is recommended for a booster. Lepto (I for a booster) year rockepeat test in 6 rockepeat test in 6 rockepeat test in 6 rockepeat test in 6 rockepear and commended for 14 Keep clean and commended for 14 Keep clean and commended for 15 keep clean and commended for	(required by state law). restinal viruses. per vaccination. nended. puppy series. Kidney Disease) -Return oster. pund. Start tomorrow Contingent on previously not on previously, no need to return. dry. Return days for removant lukewarm water after meals for 1
Physical examinations- related today was your puppy's Vaccination Recommend Rabies- Return by DHP-P(Distemper/Distempe	ations- Parvo)- Recommas ASAP if your dotation as series of 2-3 e)- Return cough)- Return tion- STRONGI or a yearly Heart kin layer glued. Skin sutures/ sta Gingival sutures llowing as direct days when	for a for a for a for a booster for a boos	year booster of tection from into ceived a distemple apart is recommended for a booster. Lepto (I for a booster) year rockepeat test in 6 rockepeat test in 6 rockepeat test in 6 rockepeat test in 6 rockepear and commended for 14 Keep clean and commended for 14 Keep clean and commended for 15 keep clean and commended for	(required by state law). restinal viruses. per vaccination. nended. puppy series. Kidney Disease) -Return oster. pund. Start tomorrow Contingual. nonths if previously not on previously, no need to return. dry. Return days for removal. In lukewarm water after meals for 1
Physical examinations- related today was your puppy's Vaccination Recommend Rabies- Return by	ations- Parvo)- Recommass ASAP if your dog- a series of 2-3 e)- Return cough)- Return tion- STRONGI or a yearly Heart kin layer glued. Skin sutures/ sta Gingival sutures- llowing as direct days when treatment month	for a for a for a for a looster for a booster for a boos	year booster of tection from into ceived a distemple apart is recommon to complete poster. Lepto (I for a booken before and dry for 14 Keep clean and of the complete in the c	(required by state law). restinal viruses. per vaccination. nended. puppy series. Kidney Disease) -Return oster. pund. Start tomorrow Contingent on previously not on previously, no need to return. dry. Return days for removant lukewarm water after meals for 1

Pet Partners is a non-profit clinic. We may not be able to accommodate sick or injured animals. We strongly encourage you to establish a relationship with a full service veterinarian in case of illnesses or emergencies.

INFORMATION FORM - DOGS

In order to save time at check-in please read the following information before dropping off your dog for surgery. If someone other than the owner is bringing the dog to the clinic, please initial your choices and sign the next page. If you have any questions please feel free to call (508) 672-4813 Monday- Thursday 9am-4pm. Please allow 15-20 minutes for check-in and pick-up.

Check-in is 7:00-8:00 am. Pick-up is 4:00-5:00 pm. Please call ahead if you need another time.

PRE-ANESTHETIC BLOOD WORK

Blood testing prior to any anesthetic procedure is recommended to uncover any possible hidden problems. The tests we order are the same that a person would have done prior to an anesthetic procedure. **The bare minimum, mini and partial panel tests can be done the same day the surgery is scheduled**. For a full panel, please schedule an appointment a few days prior to surgery to have the blood drawn. We will wait for the test results before starting surgery.

PCV/TS- Screens for protein levels and anemia only. Cost - \$39

Minimum - Tests a few kidney and liver values, protein, CBC Cost - \$97

Partial/ juvenile panel- for healthy animals under 7 years old. Includes more kidney/liver tests. Cost - \$127 **Full panel-** recommended for animals 7 years or older or suspected illnesses/dental disease. Must be done prior to day of surgery.

Waived- unforeseen problems may occur with anesthesia and you are willing to assume the risks.

Please INITIAL Choices: PCV/TS	Mini	Partial/ju	venile	Full/adult	waived
VACCINATIONS- NOT recommended	on the sar	ne day of surge	ry to avoid pe	ossible allergic	reactions. If returning
for vaccinations on a clinic day (Wednes	day, Frida	y, or Saturday) i	s difficult fo	r you, then we	will vaccinate your
dog at the end of the surgery day. A rabic	es vaccine	will be given or	the surgery	day if your dog	g is not up to date or
you are unable to provide proof of vaccin	nation. ** F	PLEASE bring	copies of va	ccination and	medical records to
avoid a possible \$15-\$45 record resear		Ö	•		
Canine Distemper vaccine- recommend		tection from int	estinal viruse	es. A 1 year or 3	3 year vaccine is
available for adult dogs. Puppies need a	series of 2-	-3 vaccines 3-4	weeks apart.	Cost: \$28 eac	ch
Canine Lyme vaccine- recommended for	or dogs wit	h possible tick	exposure.	Cost: \$50 eac	ch
A tick test is req	uired befor	re the initial vac	cination (rea	d below).	
Canine Leptospirosis vaccine- recomm	ended for	dogs with possil	ole exposure	to urine of wild	llife and rodents.
The disease cau	ses kidney	and liver dama	ge and is cor	ntagious to	
humans. Initial se	ries requir	es 2 vaccination	s 3-4 weeks	apart. Cost:\$20	6
Choices: Rabies (or certificate provide	ed)	_ Distemper	Lyme	Lepto	Waived
CANINE HEARTWORM/TICK TES	TING				
Heartworms: Spread by mosquitoes, po		atal. Testing is r	ecommended	l prior to anestl	nesia and usually
required to start preventive. The prevent					

required to start preventive. The preventive also contains stomach worm medication and is recommended year round. **Tick testing:** Ticks are usually encountered when walking through wooded areas, tall grassy fields, or sand. The symptoms of Lyme disease can take 2-5 months to appear after a dog gets bitten by an infected tick. The disease can manifest with joint, heart, kidney or neurological problems. Typically a sudden onset of joint swelling, lameness, fever, sleepiness, and poor appetite are noted. If left untreated chronic arthritis can result. Ehrlichia and Anaplasma can cause anemia.

The Tick test will show if your dog has been exposed to Lyme, Ehrlichia, and Anaplasma as early as 3-6 weeks after a tick bite. We can test your dog the day of surgery (or sooner if you want to come in on a clinic day). If the test result is positive for Lyme, the recommendation is to have a quantitative test (called a QC6) run immediately and again in 6 months. Antibiotics may be prescribed pending quantitative results. If the test is positive for Ehrlichia or Anaplasma, a CBC will be recommended.

For protection from tick diseases, the recommendation is to use tick protection and to vaccinate for Lyme (which involves a two-shot series 3 weeks apart the first year). The vaccine costs \$39each.

Choices: Heartworm test (cost \$39)	HW/Tick test (\$49)	If positive run QC6 (\$81.70)
Proof of recent test and preventative	_ CBC (\$45)	Waived

OBESITY – There may be an additional charge for overweight animals. Fees range from \$15-\$600.

PREGNANCY

If your female pet is found to be pregnant upon examination or surgery, she still may be spayed (fixed). This surgery will result in the termination of the pregnancy. There may be additional charges for I.V. fluids, pain medication, and additional surgery time depending on the weight of your pet and the stage of pregnancy. (Dogs- usually \$25-\$250 extra)

Choices: hold spaying if I	oregnancy is suspe	ected or found during	surgery	spay	
CLINIC FLEA POLICY- and you will be charged ac Your choices are:	•	with fleas or flea dirt	will have a flea	control medicatio	n applied
Para Defense (fleas and tic Tapeworm medication (Dro if they swallow any fleas wh The cost for dogs would ran	ncit) is also recomr nile grooming them	selves. The cost varies	with the weight	of the animal.	be infected
Choices: Advantage	Advantix	Para Defense	Droncit	(injectable	pill
EAR MITES/ EAR INFECT the ears. Medication choice surgery day, which will need Ear infections caused by year bacterial ointment plus flush. Choices: Injection (cost \$1 Ear infections- oin PAIN MEDICATION- All approximately 24 hours late on the procedure performed know that your pet is more as tooth extractions).	s are either a gel (v d to be repeated in a ast and bacteria can aing with a ear clea 0.00 each injection tment /Drop(\$30) animals will be giv r. Some animals ne and their individua	which is applied by the of weeks. I be common in dogs. The proof of the common in dogs. The proof of the common in dogs. The proof of the common in dogs. The common	reatment usually ar mixture. cleaner-(\$18.53 gar recipe ore surgery. The several days aftonal pain medicine.	ar canals) or an inject of the second of the	ear off lepending ased if you
Cost- For 2 days worth	Dogs: \$10 - \$50 de	pending on their weig	ht Seda	tive(\$10-15)	
E-COLLAR (lampshade collar) - We highly recommend purchasing a collar to prevent licking of the surgical area. Visit fees to check and/or repair open skin incisions are \$10-\$500 (not including anesthesia) at pet partners, \$500-\$4,000 at ER.					
Cost- \$10-20 Yes	Declined	Has Own			
Microchip- A small RFID of and vets to contact you in ca	* *	<u> </u>	der blades and a	allows shelters, anim	nal control
Signature of owner		1	Date		
Print Name_		N	Name of pet		

For	Appointment Date
	11

The following information will hopefully answer any questions you may have about anesthesia. If you have any additional questions or concerns, please do not hesitate to call the clinic before your scheduled appointment.

What type of anesthesia will my pet receive for their surgery or dental procedure?

Unless discussed otherwise, your pet will be given a "general anesthetic" which means they will be fully asleep or unconscious during the procedure and unable to feel pain.

What will be done to my pet before, during, and after surgery to help provide a safe anesthetic event?

Your pet will be examined by the attending technician at drop-off and by the attending veterinarian before any drugs are given. You will be called to discuss options if the examination or any chosen pre-anesthetic testing reveals any concerns. During the surgery prep and procedure your pet will be kept warm with water blankets and socks, given intravenous fluids, hooked up to heart, blood pressure, oxygen and carbon dioxide monitors, and have their temperature checked. Vital signs will continue to be monitored afterwards.

What drugs will be given?

Multiple drugs will likely be given to your pet to alleviate anxiety before surgery, to provide unconsciousness and allow placement of a tube into their trachea for the delivery of oxygen and gas anesthetics, to maintain a stable level of pain-free unconsciousness during surgery, and to help diminish pain after surgery.

The drugs given MAY include: Acepromazine, Alfaxalone, Antisedan, Bupivicaine, Buprenorphine, Butorphanol, Carprofen, Dexdomitor, Diphenhydramine, Epinephrine, Etomidate, Fentanyl, Hydromorphone, Isoflurane, Ketamine, Meloxicam, Midazolam, Propofol, and Telazol. (This list will change over time based on safety data information, the development of newer/safer drugs, and cost).

What determines which drugs will be given?

The species, breed, age, weight, past known history with drugs and vaccines (in your pet or any relatives of your pet), present condition, type and expected length of procedure, and the results of any chosen pre-anesthetic testing will help the veterinarian determine which drugs to use.

What are the risks of general anesthesia?

As with other drugs, anesthetic drugs also have side effects. These effects can range from mild to catastrophic. A normal or favorable response to anesthetic drugs requires normal functioning of all major organs and no allergic reactions to the above drugs.

Mild undesired side effects: prolonged grogginess, nausea and vomiting after surgery Moderately undesired side effects: rash/bruising/infection at the intravenous needle site; a mild allergic reaction resulting in hives or facial swelling; a TEMPORARY abnormal change in body temperature, respirations, heart beat, eyesight, or functioning of major organs. Catastrophic: anaphylactic shock, permanent loss of major organ function, DEATH

Why do some animals have adverse reactions to routinely used anesthetic drugs?

Some pets just like some people have underlying diseases with major organs that cannot be detected with a physical examination or routine laboratory testing. Non-routine testing of blood and internal organs may be recommended if your pet (or a relative of your pet) has had a history of previous problems with drugs or vaccines or a suspected problem based on exam findings. And some pets just like some people, will have allergic reactions or will be overly-sensitive to the usual recommended drug dosages.

How frequently do anesthetic complications and death typically occur?

Statistics are hard to come by since the reporting of anesthetic complications and death are not required. Retrospective studies (1-6) reveal complication rates of 1-2% and death rates averaging 0.1-0.3% in cats and dogs, 1.39% for rabbits. (Rabbit death percentages are theorized to be higher due to multiple factors such as smaller body size, faster metabolism, and being a "species of prey" which can potentially complicate normal anesthesia due to hypothermia, hypoglycemia, and stress.)

How many anesthetic procedures have been performed at Pet Partners and what is the percentage of anesthetic deaths?

From 2001-2022, we have anesthetized 29,182 cats, dogs, rabbits, guinea pigs, hamsters, ferrets, and one goat. Ten (or 0.04%) of these pets went into respiratory arrest and survived. Sadly, 38 (0.13%) of these pets did not survive. These numbers include sick, injured, and feral animals. (For rabbit statistics only: 668 anesthetized, 6 deaths including one wild and two sick rabbits, 0.89% mortality).

What will happen, if in the rare event, my pet has complications or stops breathing or their heart beat ceases during anesthesia?

Your pet will be given emergency drugs, assisted respirations, and if needed, cardiopulmonary resuscitation (CPR). We will continue emergency treatment as long as there is a discernable and viable response or for a 15 minute period AFTER no detectable independent respiration or heartbeat ("flatline") is confirmed. This period is to allow sufficient time for emergency drugs and IV fluids to possibly work. The attending veterinarian will notify you as soon as they are able.

Is there a charge for emergency drugs and emergency care?

Unfortunately, yes (and yes we know that this may seem as though it is adding insult to injury) but we have to charge "at cost" fees for the drugs and time involved. The charges will vary depending on the weight of your animal and the time involved. There will be no charge for checking the airway and giving reversal medications if appropriate.

Estimated fees for the INITIAL 15 minutes of emergency care for full respiratory and heart arrest:

Rabbits, cats and small dogs-\$75-150 Medium-sized dogs-\$100-175 Large dogs-\$150-250

May I waive any emergency care if in the rare event my pet should experience complications?

Yes, you may request DO NOT RESUSCITATE. We understand that as much as you/ we would like to do everything possible for our pets, we have to take many factors into consideration when

money is involved.

What can be done to lower the risks of anesthesia?

- 1. Provide past medical records especially of known problems with any drugs or vaccines with your pet or a relative of your pet
- 2. Notify the clinic of any recent problems- change in weight, appetite/thirst, urine/bowel movements or activity level, respiratory/ear/urine infections
- 3. Consider pre-anesthetic testing of:
 - a. Urine- to reveal underlying infections or early kidney disease. A sample must be submitted 1 week prior to the scheduled appointment. Cost-\$46
 - b. Blood- to evaluate blood cell numbers, electrolytes, basic kidney and liver levels. Testing may be done the day of surgery or up to one month prior. We will wait for results before fully anesthetizing your pet.
 - (Due to the small size of the clinic, we may need to give noisy dogs a sedative before blood test results return if you choose to have testing done the day of your appointment). Costs- see surgery information sheet
 - c. Blood Pressure- to help detect underlying heart or kidney disease. We will need to shave hair from a lower leg and or tail. Cost-\$29
- ** PLEASE NOTE- There are no known tests to determine if your pet will have an allergic or adverse reaction to anesthetic drugs.
- ** PLEASE NOTE- Normal examination findings, normal blood and urine test results, normal blood pressure readings does **NOT** guarantee that your pet will have an expected and favorable response to anesthetic drugs.

BOTTOM LINE-

A favorable anesthetic outcome is estimated to occur The only guarantee that we can make is that we will is safe at all times and will have a favorable outcome	try our absolute best to make sure your pet
I am the owner/agent ofinformation provided regarding risks of anesthesia.	I have read and understand the
I choose to have emergency care provided to my pet response to anesthetic drugs-please initial:	<u> </u>
I choose to request DO NOT RESUSCITATE in the response to anesthetic drugs- please initial:	7 1
Signature of owner/agent	
Print name if other than owner	
References:	

- Dodman,N. Feline anesthetic survey. J. Small Animal Practice 1977;10:653-8
 ClarkeK.Hall, L.A survey of anesthesia in small animal practice, AVA/BSAVA report. J Assoc Vet Anaesth 1990;17:4-10
 GaynorJ.,Dunlop C.,Wagner A.,Wertz E.,Golden A. Complications and mortality associated with anesthesia in dogs and cats. J Anim Hosp Ass 1994;35:13-7
- Dyson, D., Maxi MG. Morbidity and mortality associated with anesthetic management in small animal veterinary practice in Ontario. J Anim Hosp Ass 1998;35:325-35 Brodbelt, Blissitt, Hammond, Neath, Young, Pfeiffer, Wood, The risk of death. Vet Anaesth Analg. September 2008;35(5):365-73
- Doneley, B. Anaesthesia Mortality in Exotic Species-AAVAC-UP...2016

For Emergencies or After-hour Questions

For issues related to a recent surgical procedure or clinic visit-

- 1. Try the clinic first especially during our normal office hours of Monday-Thursday 8am-5pm, and most Fridays 8am-1pm October-May. (Closed most Fridays during summer months)

 The clinic # is (508) 672-4813.
- 2. On evenings and weekends: Please limit calls for TRUE EMERGENCIES only. Most questions can be answered by reading through the discharge papers. Please read these papers before calling.
 **** This phone will be turned off from midnight to 7am weeknights and midnight to 9am weekends.
 If you feel that you have an emergency related to a procedure done at Pet Partners, please do not hesitate to call our phone during available hours. If you do not receive a return call shortly, please call your full-service veterinarian or one of the emergency clinics listed below. The emergency # is (508) 493-0393

For issues *NOT* related to services rendered at Pet Partners please call your full-service veterinary clinic. If you don't have one or they are not available you may contact:

MA-RI Vet ER
477 Milford Rd.
Swansea MA
(508)730-1112
Across form Swansea Mall

Bay State Vet Service 76 Baptist St. Swansea, MA (508) 379-1233 near Rt 6 and 136 The Animal Emergency Center
595 West Center St.
W. Bridgewater, MA
(508) 580-2515
Exit 16B off Rt. 24, Next to Mobil

Please note: Most problems encountered by pets following surgery arise from the owner allowing their pet to be too active or licking of the incision area. So please follow the after-care instructions. WE HIGHLY RECOMMEND PURCHASING A LAMP-SHADE COLLAR TO PREVENT LICKING, ESPECIALLY FOR DOGS.

Incision repair can cost 2-10x more than the original surgery fee so please monitor your pet closely.

Pet Partners cannot accept responsibility for the care of your pet after it leaves the clinic. Therefore, payment for ANY services rendered by another clinic FOR ANY REASON WILL BE THE OWNER'S RESPONSIBILITY.

Evaluations at Pet Partners during clinic hours - minimum \$30 plus supplies. Weekday evening hours -minimum \$50 plus supplies (payable in CASH). Weekends and Holidays -minimum \$90 plus supplies (payable in CASH).

Please make every attempt to call the clinic during office hours for questions or problems.

T have read the above information	on and agree to the terms.	
		/
Owner (or designated caretaker/representative)	Pet's name(s)	Date

I have read the above information and some to the torms



\$5 off

IF YOU PRINT OUT ALL NEEDED SURGERY AND ANESTHESIA FORMS*

(Fully read, signed, and brought to the clinic, of course!)
*Valid for spay, neuter or dental surgery only. Cannot be used with shelter/non-profit rates and/or vouchers, grant monies or other discounts.